Safety Data Sheet

This safety data sheet complies with the requirements of: 2012 OSHA Hazard Communication Standard (29CFR 1910.1200)

Product name ISS 6% FP (EGY-CFP6B)

1. Identification

1.1. Product Identifier

Product name ISS 6% FP (EGY-CFP6B)

1.2. Other means of identification

Product code 770847 Synonyms None

Chemical Family No information available

1.3.Recommended use of the chemical and restrictions on use

Recommended use Fire extinguishing agent.

Uses advised against Consumer use.

1.4. Details of the Supplier of the Safety Data Sheet

Company Name Int. Security&Safety Systems

49.Abbass EL Akaad St. Nasr city-CAIRO-EGYPTTelephone: 002-02-22602808

Contact point Product Manager
E-mail address info@isssystems.com

2. Hazards Identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/Irritation - Category 2 Serious eye damage/eye irritation - Category 2A

2.2.Label Elements

Signal Word WARNING

Hazard Statements

Causes skin irritation Causes serious eye irritation



Precautionary Statements



Prevention

Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

2.3. Hazards Not Otherwise Classified (HNOC)

Not Applicable.

2.4. Other Information

Harmful to aquatic life with long lasting effects. Harmful to aquatic life.

Unknown Acute Toxicity 36.799001% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/information on Ingredients

3.1. <u>Mixture</u>

The following component(s) in this product are considered hazardous under applicable OSHA(USA)

| Chemical name | CAS No. | weight-% |
|-------------------------------|------------|----------|
| Ethylene Glycol | 107-21-1 | 3 - 7 |
| 2-Methyl-2,4-pentanediol | 107-41-5 | 1 - 5 |
| Sodium chloride | 7647-14-5 | 1 - 5 |
| Calcium Chloride | 10043-52-4 | 1 - 5 |
| Zinc chloride | 7646-85-7 | 1 - 5 |
| Cumene sulfonate, sodium salt | 28348-53-0 | 1 - 5 |

4. First aid measures

4.1. <u>Description of first aid measures</u>

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contactWash skin with soap and water. Get medical attention if irritation develops and persists.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. (Get medical attention immediately

if symptoms occur.).

Ingestion Rinse mouth. Do not induce vomiting without medical advice. If swallowed, call a poison

control center or physician immediately.

4.2. Most Important Symptoms and

Effects, Both Acute and Delayed Symptoms

No information available.

Indication of Any Immediate Medical Attention

and Special Treatment Needed Note to physicians

Treat symptomatically.

4.3.

5. Fire-fighting measures



5.1. Suitable Extinguishing Media

Product is extinguishing agent. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2. Unsuitable Extinguishing Media

None.

5.3. Specific Hazards Arising from the Chemical

None known.

Hazardous Combustion

Carbon oxides, Fluorinated oxides, Nitrogen oxides (NOx), Oxides of sulfur

Products

5.4. **Explosion Data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

5.5. Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

5.1. Personal precautions, protective equipment

and emergency procedures

Personal Precautions Ensure adequate ventilation, especially in confined areas.

For emergency responders Use personal protection recommended in Section 8.

6.2. <u>Environmental Precautions</u>

Environmental Precautions Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers,

basements or confined areas. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Pick up and transfer to properly labeled containers.

7. Handling and Storage

7.1. Precautions for Safe Handling

Advice on safe handling Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and

safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials Strong oxidizing agents. Strong acids. Strong bases.



8. Exposure Controls/Personal Protection

8.1. Control Parameters

Exposure guidelines

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH | Mexico OEL |
|--------------------------|--------------------------------|----------|---------------------------------|-----------------------|
| Ethylene Glycol | Ceiling: 100 mg/m ³ | - | - | 100 mg/m³ (Ceiling) |
| 107-21-1 | aerosol only | | | |
| 2-Methyl-2,4-pentanediol | Ceiling: 25 ppm | - | Ceiling: 25 ppm | 25 ppm (Ceiling) |
| 107-41-5 | | | Ceiling: 125 mg/m ³ | 125 mg/m³ (Ceiling) |
| Zinc chloride | STEL: 2 mg/m³ fume | - | IDLH: 50 mg/m ³ fume | TWA 1 mg/m³ (VLE-PPT) |
| 7646-85-7 | TWA: 1 mg/m ³ fume | | TWA: 1 mg/m ³ fume | STEL 2 mg/m³(PPT-CT) |
| | | | STEL: 2 mg/m ³ fume | |

Immediately Dangerous to Life or Health

8.2. Appropriate Engineering Controls

Engineering controls Showers

Eyewash stations Ventilation systems.

8.3. Individual protection measures, such as personal protective equipment

Eye/Face Protection Avoid contact with eyes. Tight sealing safety goggles.

Skin and Body Protection Wear protective gloves and protective clothing.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

VentilationUse local exhaust or general dilution ventilation to control exposure with applicable limits

8.4. General hygiene considerations

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State Liquid

Odor No data available Color No data available

Odor Threshold No data available

Propert Values Remarks • Method

y pH

Melting point/freezing point

Boiling point / boiling range
Flash Point

Evaporation Rate
Flammability (solid, gas)

No data available
No data available
No data available
No data available

Flammability limit in air

Upper flammability limit:No data availableLower flammability limit:No data availableVapor PressureNo data available



Vapor Density No data available Specific gravity No data available Water Solubility No data available Solubility in Other Solvents No data available **Partition coefficient** No data available Autoignition Temperature No data available **Decomposition Temperature** No data available Kinematic viscosity No data available

10. Stability and Reactivity

10.1. Chemical Stability

Stable under recommended storage conditions.

10.2. Reactivity

No data available

10.3. Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

10.4. Conditions to Avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx). Oxides of sulfur. Fluorinated oxides.

11. Toxicological Information

11.1. <u>Information on Likely Routes of Exposure</u>

Product information No data available

Inhalation No data available.

Eye Contact Severely irritating to eyes.

Skin contact Irritating to skin.

Ingestion No data available.

Component Information

Acute Toxicity

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------------------------------|--------------------|----------------------------------|-----------------------|
| Ethylene Glycol 107-21- | = 4700 mg/kg (Rat) | = 10600 mg/kg (Rat) = 9530 μL/kg | - |
| 1 | | (Rabbit) | |
| 2-Methyl-2,4-pentanediol 107- 41-5 | = 3700 mg/kg (Rat) | = 8560 μL/kg(Rabbit) | > 310 mg/m³ (Rat) 1 h |



| Sodium chloride 7647-14- 5 | = 3 g/kg (Rat) | > 10 g/kg(Rabbit) | > 42 g/m³(Rat)1 h |
|--|----------------------|----------------------|-------------------|
| Calcium Chloride 10043- 52-4 | = 1000 mg/kg (Rat) | > 5000 mg/kg(Rabbit) | - |
| Zinc chloride 7646-85- 7 | = 1100 mg/kg (Rat) | - | - |
| Cumene sulfonate, sodium salt 28348-53-0 | > 7000 mg/kg (Rat) | - | - |

11.2. <u>Information on Toxicological Effects</u>

Symptoms No information available.

<u>11.3.</u> <u>Delayed and immediate effects as well as chronic effects from</u>

short and long-term exposure Skin Corrosion/Irritation

Severe skin irritation.

Serious eye damage/eye irritation
Sensitization
Germ Cell Mutagenicity
Carcinogenicity
Reproductive Toxicity
STOT - Single Exposure
STOT - Repeated Exposure
Severely irritating to eyes.
No information available.
No information available.
No information available.
No information available.

Target organ effects Central Nervous System, Central Vascular System (CVS), Eyes, Respiratory System, Skin.

Aspiration Hazard No information available.

11.4. <u>Numerical Measures of Toxicity - Product information</u>

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 7063 mg/kg

12. Ecological Information

12.1. Ecotoxicity

Harmful to aquatic life with long lasting effects.

0.47725% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical name | Algae/aquatic plants | Fish | Crustacea |
|-------------------------------|---------------------------------|------------------------------------|---------------------------------|
| Urea | - | LC50 (96h) 16200 - 18300 mg/L | EC50 (48h) Static = 3910 mg/L |
| 57-13-6 | | Poecilia reticulata | Daphnia magna EC50 (24h) > |
| | | | 10000 mg/L Daphnia magna Straus |
| Ethylene Glycol 107-21- | EC50 (96h) 6500 - 13000 mg/L | LC50 (96h) static 40000 - 60000 | EC50 (48h) = 46300 mg/L Daphnia |
| 1 | Pseudokirchneriella subcapitata | mg/L Pimephales promelas LC50 | magna |
| | | (96h) static = 40761 mg/L | |
| | | Oncorhynchus mykiss LC50 (96h) | |
| | | = 41000 mg/L Oncorhynchus | |
| | | mykiss LC50 (96h) static = 27540 | |
| | | mg/L Lepomis macrochirus LC50 | |
| | | (96h) static 14 - 18 mL/L | |
| | | Oncorhynchus mykiss LC50 (96h) | |
| | | static = 16000 mg/L Poecilia | |
| | | reticulata | |
| 2-Methyl-2,4-pentanediol 107- | = | LC50 (96h) flow-through = 8690 | EC50 (48h) 2700 - 3700 mg/L |
| 41-5 | | mg/L Pimephales promelas LC50 | Daphnia magna |
| | | (96h) flow-through 10500 - 11000 | |
| | | mg/L Pimephales promelas LC50 | |
| | | (96h) static = 10000 mg/L Lepomis | |
| | | macrochirus LC50 (96h) static = | |
| - " | | 10700 mg/L Pimephales promelas | |
| Sodium chloride 7647-14- | - | LC50 (96h) semi-static = 7050 mg/L | |
| 5 | | Pimephales promelas LC50 (96h) | mg/L Daphnia magna EC50 (48h) = |



| | | flow-through 4747 - 7824 mg/L | 1000 mg/L Daphnia magna |
|-------------------------------|-------------------------------|------------------------------------|---------------------------------|
| | | Oncorhynchus mykiss LC50 (96h) | |
| | | static = 12946 mg/L Lepomis | |
| | | macrochirus LC50 (96h) static 6020 | |
| | | - 7070 mg/L Pimephales promelas | |
| | | LC50 (96h) flow-through 5560 - | |
| | | 6080 mg/L Lepomis macrochirus | |
| | | LC50 (96h) static 6420 - 6700 mg/L | |
| | | Pimephales promelas | |
| Calcium Chloride 10043- | - | LC50 (96h) static = 10650 mg/L | LC50 (48h) = 2400 mg/L Daphnia |
| 52-4 | | Lepomis macrochirus | magna |
| Cumene sulfonate, sodium salt | EC50 (72h) > 1000 mg/L | - | EC50 (24h) > 1000 mg/L Daphnia |
| 28348-53-0 | Desmodesmus subspicatus | | magna |
| Ferrous Chloride 7758-94- | - | LC50 (96h) static = 4 mg/L Morone | - |
| 3 | | saxatilis | |
| Sodium Citrate | EC50 (96h) 18000 - 32000 mg/L | LC50 (96h) 18000 - 32000 mg/L | EC50 (48h) 5600 - 10000 mg/L |
| 68-04-2 | Chlorella vulgaris | Poecilia reticulata | Daphnia magna |
| t-Butanol 75-65- | EC50 (72h) > 1000 mg/L | LC50 (96h) flow-through 6130 - | EC50 (48h) Static 4607 - 6577 |
| 0 | Desmodesmus subspicatus | 6700 mg/L Pimephales promelas | mg/L Daphnia magna EC50 (48h) = |
| | · | | 933 mg/L Daphnia magna |

12.2. Persistence and Degradability

.

Chemical Oxygen Demand (mg/L)

 Concentrate
 390,000

 6% Solution
 20,000

Concentrate Biological Oxygen Demand (mg/L)

| Biological Oxygen Demand (5 Day) | 89000 |
|-----------------------------------|--------|
| %BOD/COD | 22.82 |
| Biological Oxygen Demand (10 Day) | 210000 |
| %BOD/COD | 53.85 |
| Biological Oxygen Demand (15 Day) | 230000 |
| %BOD/COD | 58.97 |
| Biological Oxygen Demand (20 Day) | 260000 |
| %BOD/COD | 66.67 |

6% Solution Biological Oxygen Demand (mg/L)

| Biological Oxygen Demand (5 Day) | 5200 |
|-----------------------------------|-------|
| %BOD/COD | 26 |
| Biological Oxygen Demand (10 Day) | 12000 |
| %BOD/COD | 60 |
| Biological Oxygen Demand (15 Day) | 13000 |
| %BOD/COD | 65 |
| Biological Oxygen Demand (20 Day) | 14000 |
| %BOD/COD | 70 |

12.3. Bioaccumulation

No information available.

| Chemical name | Partition coefficient |
|--------------------------------------|-----------------------|
| Ethylene Glycol 107-21-1 | -1.93 |
| 2-Methyl-2,4-pentanediol 107-41-5 | <0.14 |



12.4. Other Adverse Effects

No information available

13. Disposal Considerations

13.1. Waste Treatment Methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Do not reuse container.

14. Transport Information

DOT NOT REGULATED

TDG NOT REGULATED

MEX NOT REGULATED

ICAO (air) NOT REGULATED

IATA NOT REGULATED

IMDG NOT REGULATED

15. Regulatory Information

15.1. International Inventories

TSCA Complies
DSL/NDSL Does not comply
ENCS Does not comply
IECSC Does not comply
KECL Does not comply
PICCS Does not comply
AICS Does not comply

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. **US Federal Regulations**

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | SARA 313 - Threshold Values % |
|----------------------------|-------------------------------|
| Ethylene Glycol - 107-21-1 | 1.0 |
| Zinc chloride - 7646-85-7 | 1.0 |

SARA 311/312 Hazard Categories

Acute Health Hazard Yes Chronic health hazard No



Fire Hazard No Sudden Release of Pressure Hazard No Reactive Hazard No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|----------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Zinc chloride 7646-85-7 | 1000 lb | X | - | Х |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|-------------------------|--------------------------|----------------|--------------------------|
| Ethylene Glycol 107-21- | 5000 lb | - | RQ 5000 lb final RQ |
| 1 | | | RQ 2270 kg final RQ |
| Zinc chloride 7646-85- | 1000 lb | - | RQ 1000 lb final RQ |
| 7 | | | RQ 454 kg final RQ |

15.3. **US State Regulations**

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical name | California Proposition 65 | |
|----------------------------|---------------------------|--|
| Ethylene Glycol - 107-21-1 | Developmental | |

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|-------------------------------|------------|---------------|--------------|
| Ethylene Glycol 107-21- | X | X | X |
| 1 | | | |
| 2-Methyl-2,4-pentanediol 107- | X | X | X |
| 41-5 | | | |
| Zinc chloride 7646-85- | X | X | X |
| 7 | | | |
| Ferrous Chloride 7758-94- | X | X | X |
| 3 | | | |
| t-Butanol 75-65- | X | X | X |
| 0 | | | |

16. Other information, including date of preparation of the last revision

NFPA Health Hazards 2 Flammability 0 Instability 0 Physical and chemical properties
HMIS Health Hazards 2 Flammability 0 Physical Hazards 0 Personal Protection X

Revision date 17-Apr-2017

Revision note SDS sections updated, 2, 11, 12.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other



materials or in any process, unless specified in the text.

End of Safety Data Sheet